

L Number	Hits	Search Text	DB	Time stamp
-	3920	{717/140-143,151-161,162-166; 709/246-247; 707/101; 708/200-203).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 17:38
-	23540	((code or data or variable\$1) near4 (compress\$4 or compact\$4)) and (compil\$4 or translat\$4 or link\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 17:41
-	622	((717/140-143,151-161,162-166; 709/246-247; 707/101; 708/200-203).CCLS.) and (((code or data or variable\$1) near4 (compress\$4 or compact\$4)) and (compil\$4 or translat\$4 or link\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 17:50
-	189	(encod\$4 or compact\$4) near3 ((symbol\$1 or variable\$1) adj3 (name\$1 or identif\$7))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 17:43
-	17161	((code or data or variable\$1) near4 (compress\$4 or compact\$4)) and (compil\$4 or translat\$4 or link\$4)) and (@ad<=19991105 or @rlfd<=19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 12:19
-	3114	((717/140-143,151-161,162-166; 709/246-247; 707/101; 708/200-203).CCLS.) and (@ad<=19991105 or @rlfd<=19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 17:52
-	482	(((((code or data or variable\$1) near4 (compress\$4 or compact\$4)) and (compil\$4 or translat\$4 or link\$4)) and (@ad<=19991105 or @rlfd<=19991105)) and (((717/140-143,151-161,162-166; 709/246-247; 707/101; 708/200-203).CCLS.) and (@ad<=19991105 or @rlfd<=19991105))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 17:55
-	519	(symbol\$1 or variable\$1) near4 ((encoded or compressed or compacted or reduced) adj4 (format or size))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 08:55
-	4	(((((code or data or variable\$1) near4 (compress\$4 or compact\$4)) and (compil\$4 or translat\$4 or link\$4)) and (@ad<=19991105 or @rlfd<=19991105)) and (((717/140-143,151-161,162-166; 709/246-247; 707/101; 708/200-203).CCLS.) and (@ad<=19991105 or @rlfd<=19991105))) and ((symbol\$1 or variable\$1) near4 ((encoded or compressed or compacted or reduced) adj4 (format or size)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 18:21
-	187	((encod\$4 adj3 (names or symbol\$1))) and (compil\$7 same code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 12:20
-	3	(pars\$4 same (encod\$4 adj3 (names or symbol\$1))) and (compil\$7 same ((source adj2 file) or code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 18:27

-	25	(((((encod\$4 adj3 (names or symbol\$1))) and (compil\$7 same code)) and (((code or data or variable\$1) near4 (compress\$4 or compact\$4)) and (compil\$4 or translat\$4 or link\$4)) and (@ad<=19991105 or @rlfd<=19991105))) or (((encod\$4 adj3 (names or symbol\$1))) and (compil\$7 same code)) and (((717/140-143,151-161,162-166; 709/246-247; 707/101; 708/200-203).CCLS.) and (@ad<=19991105 or @rlfd<=19991105)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 18:54
-	10	(encod\$4 near4 ((text adj2 string) or (symbol adj2 name\$1))) and ((reduc\$4 or optimi\$7) near4 (storage or size))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 18:58
-	101	(RLE or "run length encoding") and (compiler\$1 or linker\$1 or (optimi\$7 same compil\$7))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 08:54
-	520	(symbol\$1 or variable\$1) near4 (encoded or compressed or compacted or reduced) adj4 (format or size))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 16:59
-	1106	((data or variable\$1 or symbol\$1) near4 (compaction or compression or encod\$4)) and (compiler\$1 same (code or translat\$4 or link\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 10:11
-	168	((((data or variable\$1 or symbol\$1) near4 (compaction or compression or encod\$4)) and (compiler\$1 same (code or translat\$4 or link\$4))) and ((differential adj3 encod\$4) or (length near4 encod\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 14:34
-	8033	((non-different\$5 and different\$4) or ((full or differential) adj2 length)) near4 encod\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 12:19
-	17163	((((code or data or variable\$1) near4 (compress\$4 or compact\$4)) and (compil\$4 or translat\$4 or link\$4)) and (@ad<=19991105 or @rlfd<=19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 12:20
-	13	((differential adj3 encod\$4) and (compil\$5 same symbols))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 13:32
-	7	((US-5551020-\$ or US-4931928-\$ or US-5930508-\$ or US-6240409-\$ or US-6055273-\$ or US-5969647-\$ or US-5874907-\$ or US-5768592-\$ or US-5659753-\$ or US-5511159-\$ or US-5291583-\$ or US-4567464-\$ or US-5182709-\$ or US-6163811-\$ or US-6023761-\$ or US-5986707-\$ or US-6463521-\$ or US-6457173-\$ or US-6356950-\$ or US-6021275-\$ or US-5812850-\$ or US-5764987-\$ or US-5613117-\$ or US-6442680-\$ or US-6145069-\$ or US-5629770-\$).did. or (US-20010013093-\$).did.) and (((variable\$1 or symbol\$1) near3 length) same encod\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 14:08
-	172	compiler\$1 and ((encrypt\$5 same decrypt\$5) near8 (symbol\$1 or data or variable\$1 or operand\$1 or instruction\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 16:59

-	500	compiler\$1 and ((encod\$5 same decod\$5) near8 (symbol\$1 or data or variable\$1 or operand\$1 or instruction\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 14:34
-	175	((compiler\$1 and ((encrypt\$5 same decrypt\$5) near8 (symbol\$1 or data or variable\$1 or operand\$1 or instruction\$1))) or (compiler\$1 and ((encod\$5 same decod\$5) near8 (symbol\$1 or data or variable\$1 or operand\$1 or instruction\$1)))) and ((differential adj3 encod\$4) or (length near4 encod\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 14:35
-	112	((compiler\$1 and ((encrypt\$5 same decrypt\$5) near8 (symbol\$1 or data or variable\$1 or operand\$1 or instruction\$1))) or (compiler\$1 and ((encod\$5 same decod\$5) near8 (symbol\$1 or data or variable\$1 or operand\$1 or instruction\$1)))) and ((differential adj3 encod\$4) or (length near4 encod\$4))) and (@ad<=19991105 or @rlfd<=19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 14:35
-	19	((((compiler\$1 and ((encrypt\$5 same decrypt\$5) near8 (symbol\$1 or data or variable\$1 or operand\$1 or instruction\$1))) or (compiler\$1 and ((encod\$5 same decod\$5) near8 (symbol\$1 or data or variable\$1 or operand\$1 or instruction\$1)))) and ((differential adj3 encod\$4) or (length near4 encod\$4))) and (@ad<=19991105 or @rlfd<=19991105)) and (object-oriented or container\$1 or (name adj space))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 15:01
-	4	((delta near5 encod\$4) same (symbol\$1 or data)) and (compiler\$1 and object-oriented)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 16:03
-	4	(compress\$5 near4 (object adj3 file)) same compiler	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 16:58
-	9	(compress\$5 adj3 (algorithm or information)) near4 (object near5 file\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 16:42
-	12	(encod\$4 adj3 (variable\$1 or symbol\$1)) and (extended adj2 format)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/14 10:24
-	100	(encod\$4 adj3 (variable\$1 or symbol\$1 or data)) and (extended adj2 format)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/14 10:27
-	14	(Huffman adj3 encoding) and (percent near6 compression)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/14 15:31
-	16	(delta near3 encod\$5) and ((percent or "%") near4 (size or compression))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/14 15:32

-	0	(compress\$4 near4 (program adj2 symbol)) and (debugger near2 information) and compiler	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/01 13:21
-	1	(compress\$4 near6 ((program or code) adj2 symbol\$1)) and (debugger) and compiler	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/01 13:25
-	1	(compress\$4 near6 ((program or code) adj2 symbol\$1)) and ((debugger or compiler) near4 information)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/01 13:26
-	7761	(compress\$4 near4 (program or code or application or "source code")).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/01 14:27
-	401	((compress\$4 near4 (program or code or application or "source code")).ab.) and ((variable\$1 or symbol\$1) near4 compress\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/01 13:42
-	2	((compress\$4 near4 (program or code or application or "source code")).ab.) and ((variable\$1 or symbol\$1) near4 compress\$4) and (@ad<=19991105 or @rlad<=19991105) and 717/\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/01 14:30
-	6	((compress\$4 near4 (program or code or application or "source code")).ab.) and ((compiler or debug\$5) near4 information)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/01 14:16
-	2	(compiler adj2 (product\$1 or information)) same (compressed or tar or gzip or zip)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/01 14:23
-	3	(JIT same (jar adj2 file))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/01 14:25
-	4730	(compress\$4 near4 (program or code or "source code")).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/01 14:27
-	27	compiler and (@ad<=19991105 or @rlad<=19991105) and ((compress\$4 near4 (program or code or "source code")).ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/01 15:16
-	35	(compress\$4 near4 ((program or table or code) adj2 (symbol\$1 or variable\$1))).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/01 14:32
-	19	("5065400" "5307498" "5600836" "5630118" "5644762" "5668989" "5742828" "5758336" "5758346" "5794048" "5808889" "5809500" "5838979" "5852824" "5878422" "5915116" "5930782" "5950197" "5956510").PN.	USPAT	2003/08/01 14:32
-	3	("5050212" "5121345" "5359659").PN.	USPAT	2003/08/01 14:36
-	3	5881151.URPN.	USPAT	2003/08/01 14:37

-	18	("3925780" "4070694" "4150400" "4276544" "4542413" "4633312" "4688108" "4811113" "4890249" "4893187" "5036457" "5245441" "5270812" "5287193" "5339077" "5394143" "5721720" "5845021").PN.	USPAT	2003/08/01 14:41
-	19	("5065400" "5307498" "5600836" "5630118" "5644762" "5668989" "5742828" "5758336" "5758346" "5794048" "5808889" "5809500" "5838979" "5852824" "5878422" "5915116" "5930782" "5950197" "5956510").PN.	USPAT	2003/08/01 15:13
-	43	(pars\$4 near4 (program or source) adj3 (code or language or text)) same (page or browser or HTML)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/01 15:16
-	5	compiler and (@ad<=19991105 or @rlad<=19991105) and ((pars\$4 near4 (program or source) adj3 (code or language or text)) same (page or browser or HTML))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/01 15:21
-	12	((view\$4 or display\$4 or process\$4 or pars\$4) near3 ((program or source) adj2 code)) same (HTML adj2 (form or screen or page))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/01 15:23
-	0	(compress\$4 near8 ((program adj3 symbol) near4 encoded)) and (@ad<=19991105 or @rlad<=19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 14:23
-	443	(compress\$4 near8 ((variable or symbol or pointer or "data structure") near4 encoded)) and (@ad<=19991105 or @rlad<=19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 14:24
-	0	((compress\$4 near8 ((variable or symbol or pointer or "data structure") near4 encoded)) and (@ad<=19991105 or @rlad<=19991105)) and (differential near4 encod\$4)) and (compiler and (reduc\$4 near8 size))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 14:26
-	1	((compress\$4 near8 ((variable or symbol or pointer or "data structure") near4 encoded)) and (@ad<=19991105 or @rlad<=19991105)) and (compiler and (reduc\$4 near8 size))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 14:26
-	53	((compress\$4 near8 ((variable or symbol or pointer or "data structure") near4 encoded)) and (@ad<=19991105 or @rlad<=19991105)) and (differential near4 encod\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 15:30
-	5	((compress\$4 near8 ((variable or symbol or pointer or "data structure") near4 encoded)) and (@ad<=19991105 or @rlad<=19991105)) and (differential near4 encod\$4)) and (717/\$ or 709/\$ or 707/\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 16:53
-	734	(compress\$4 near8 (variable or symbol or pointer or "data structure")) and (@ad<=19991105 or @rlad<=19991105) and (717/\$ or 709/\$ or 707/\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 16:56
-	74	((compress\$4 near8 (variable or symbol or pointer or "data structure")) and (@ad<=19991105 or @rlad<=19991105) and (717/\$ or 709/\$ or 707/\$)) and compiler and encod\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 16:59

-	15	((compress\$4 near8 (variable or symbol or pointer or "data structure")) and (@ad<=19991105 or @rlad<=19991105) and (717/\$ or 709/\$ or 707/\$)) and compiler and encod\$4) and 717/\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 17:08
-	1895	((710/68) or (709/247) or (707/101)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 17:08
-	178	((compress\$4 near8 (variable or symbol or pointer or "data structure")) and (@ad<=19991105 or @rlad<=19991105) and (717/\$ or 709/\$ or 707/\$)) and ((710/68) or (709/247) or (707/101)).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 17:08
-	7	((compress\$4 near8 (variable or symbol or pointer or "data structure")) and (@ad<=19991105 or @rlad<=19991105) and (717/\$ or 709/\$ or 707/\$)) and ((710/68) or (709/247) or (707/101)).CCLS.) and 717/\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 17:11
-	53	(US-5583650-\$ or US-5576902-\$ or US-5559722-\$ or US-5539663-\$ or US-5539662-\$ or US-5537338-\$ or US-5535138-\$ or US-5532940-\$ or US-5528238-\$ or US-5493514-\$ or US-5493513-\$ or US-5440345-\$ or US-5428395-\$ or US-5408328-\$ or US-5377051-\$ or US-5327248-\$ or US-5241382-\$ or US-5235419-\$ or US-5227876-\$ or US-5122875-\$ or US-5111292-\$ or US-5027214-\$ or US-4951140-\$ or US-4868653-\$ or US-4823201-\$ or US-4785349-\$).did. or (US-3716851-\$ or US-6603884-\$ or US-6477202-\$ or US-6459816-\$ or US-6266449-\$ or US-6219457-\$ or US-6141486-\$ or US-6124995-\$ or US-6100826-\$ or US-6014493-\$ or US-5986710-\$ or US-5933567-\$ or US-5903669-\$ or US-5805762-\$ or US-5777812-\$ or US-5729649-\$ or US-5729648-\$ or US-5699117-\$ or US-5687275-\$ or US-5623344-\$ or US-5617142-\$).did. or (US-20010048719-\$ or US-20010043752-\$ or US-20030198397-\$ or US-20030012445-\$ or US-20020191855-\$).did. or (US-5241382-\$).did.	USPAT; US-PGPUB; DERWENT	2004/02/20 17:11

-	5	((US-5583650-\$ or US-5576902-\$ or US-5559722-\$ or US-5539663-\$ or US-5539662-\$ or US-5537338-\$ or US-5535138-\$ or US-5532940-\$ or US-5528238-\$ or US-5493514-\$ or US-5493513-\$ or US-5440345-\$ or US-5428395-\$ or US-5408328-\$ or US-5377051-\$ or US-5327248-\$ or US-5241382-\$ or US-5235419-\$ or US-5227876-\$ or US-5122875-\$ or US-5111292-\$ or US-5027214-\$ or US-4951140-\$ or US-4868653-\$ or US-4823201-\$ or US-4785349-\$).did. or (US-3716851-\$ or US-6603884-\$ or US-6477202-\$ or US-6459816-\$ or US-6266449-\$ or US-6219457-\$ or US-6141486-\$ or US-6124995-\$ or US-6100826-\$ or US-6014493-\$ or US-5986710-\$ or US-5933567-\$ or US-5903669-\$ or US-5805762-\$ or US-5777812-\$ or US-5729649-\$ or US-5729648-\$ or US-5699117-\$ or US-5687275-\$ or US-5623344-\$ or US-5617142-\$).did. or (US-20010048719-\$ or US-20010043752-\$ or US-20030198397-\$ or US-20030012445-\$ or US-20020191855-\$).did. or (US-5241382-\$).did.) and (((compress\$4 near8 (variable or symbol or pointer or "data structure")) and (@ad<=19991105 or @rlad<=19991105) and (717/\$ or 709/\$ or 707/\$)) and (((710/68) or (709/247) or (707/101)).CCLS.)) or ((compress\$4 near8 (variable or symbol or pointer or "data structure")) and (@ad<=19991105 or @rlad<=19991105) and (717/\$ or 709/\$ or 707/\$)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 17:12
-	27	((transmi\$5 or distribut\$5) near3 ((compiler or compil\$4) adj2 (data or content or information))) same (encod\$4 or pack\$5 or compress\$4 or zip\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/21 13:04
-	31	((transmi\$5 or distribut\$5) near3 ((compiler or compil\$4) adj2 (data or content or information or code))) same (encod\$4 or pack\$5 or compress\$4 or zip\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/21 13:05
-	21	((transmi\$5 or distribut\$5) near3 ((compiler or compil\$4) adj2 (data or content or information or code))) same (encod\$4 or pack\$5 or compress\$4 or zip\$5)) and (@ad<=19991105 or @rlad<=19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/21 13:20
-	1	((transmi\$5 or distribut\$5) near3 ((compiler or compil\$4) adj2 (data or content or information or code))) same (encod\$4 or pack\$5 or compress\$4 or zip\$5)) and (@ad<=19991105 or @rlad<=19991105)) and compiler	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/21 13:12
-	9	("4667290" "5386557" "5537551" "5551051" "5586323" "5590329" "5590331" "5644709" "5761477").PN.	USPAT	2004/02/21 13:11
-	3	("4667290" "5386557" "5537551" "5551051" "5586323" "5590329" "5590331" "5644709" "5761477").PN.) and (compress\$4 and encod\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/21 13:20
-	8	(differential near2 encod\$4) and (compress\$4 and compiler)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/21 14:58

-	8	((differential near2 encod\$4) and (compress\$4 and compiler)) and (@ad<=19991105 or @rlad<=19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/21 14:45
-	49	(US-6460047-\$ or US-6457173-\$ or US-6456308-\$ or US-6442680-\$ or US-6408331-\$ or US-6393569-\$ or US-6243856-\$ or US-6145069-\$ or US-5991713-\$ or US-5930508-\$ or US-6449764-\$ or US-4931928-\$ or US-6240409-\$ or US-6055273-\$ or US-5969647-\$ or US-5923880-\$ or US-5874907-\$ or US-5768592-\$ or US-5659753-\$ or US-5613117-\$ or US-5511159-\$ or US-5291583-\$ or US-5182709-\$ or US-6021275-\$ or US-5551020-\$ or US-6408428-\$).did. or (US-6356950-\$ or US-5640559-\$ or US-6101580-\$ or US-5036457-\$ or US-5717912-\$ or US-5953526-\$ or US-5940615-\$ or US-5745058-\$ or US-6163811-\$ or US-6023761-\$ or US-5986707-\$ or US-6463521-\$ or US-5764987-\$ or US-5909579-\$ or US-5629770-\$ or US-6225922-\$ or US-6005503-\$ or US-6151618-\$ or US-4667290-\$ or US-5537551-\$).did. or (US-20020184398-\$ or US-20030191792-\$ or US-20010047394-\$).did.	USPAT; US-PGPUB	2004/02/21 13:25
-	8	((US-6460047-\$ or US-6457173-\$ or US-6456308-\$ or US-6442680-\$ or US-6408331-\$ or US-6393569-\$ or US-6243856-\$ or US-6145069-\$ or US-5991713-\$ or US-5930508-\$ or US-6449764-\$ or US-4931928-\$ or US-6240409-\$ or US-6055273-\$ or US-5969647-\$ or US-5923880-\$ or US-5874907-\$ or US-5768592-\$ or US-5659753-\$ or US-5613117-\$ or US-5511159-\$ or US-5291583-\$ or US-5182709-\$ or US-6021275-\$ or US-5551020-\$ or US-6408428-\$).did. or (US-6356950-\$ or US-5640559-\$ or US-6101580-\$ or US-5036457-\$ or US-5717912-\$ or US-5953526-\$ or US-5940615-\$ or US-5745058-\$ or US-6163811-\$ or US-6023761-\$ or US-5986707-\$ or US-6463521-\$ or US-5764987-\$ or US-5909579-\$ or US-5629770-\$ or US-6225922-\$ or US-6005503-\$ or US-6151618-\$ or US-4667290-\$ or US-5537551-\$).did. or (US-20020184398-\$ or US-20030191792-\$ or US-20010047394-\$).did.) and (compress\$4 and encod\$4) and (compil\$3 same (download\$4 or transmi\$6 or distribut\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/21 14:29
-	4	6163811.URPN.	USPAT	2004/02/21 14:25
-	20	("4386416" "4558413" "4912637" "5357631" "5495610" "5530645" "5574906" "5715454" "5761499" "5813017" "5832520" "5845077" "5884014" "5903897" "5905896" "5991713" "5999949" "6011905" "6012063" "6018747").PN.	USPAT	2004/02/21 14:28

-	11	((("4386416" "4558413" "4912637" "5357631" "5495610" "5530645" "5574906" "5715454" "5761499" "5813017" "5832520" "5845077" "5884014" "5903897" "5905896" "5991713" "5999949" "6011905" "6012063" "6018747").PN.) and (compress\$4 and encod\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/21 14:29
-	5	((("4386416" "4558413" "4912637" "5357631" "5495610" "5530645" "5574906" "5715454" "5761499" "5813017" "5832520" "5845077" "5884014" "5903897" "5905896" "5991713" "5999949" "6011905" "6012063" "6018747").PN.) and (compress\$4 and encod\$4)) and compil\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/21 14:41
-	5123	(compil\$4 or compress\$4) and (((Lemzig and Huffman and run-length) or (differential or predictive)) near2 (coding or encod\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/21 15:03
-	5123	(compil\$4 or compress\$4) and (((differential or predictive)) near2 (coding or encod\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/21 14:45
-	2124	(compil\$4 or compress\$4) and (((differential or predictive)) near2 (encod\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/21 14:56
-	34	((compil\$4 or compress\$4) and (((differential or predictive)) near2 (encod\$4))) and (@ad<=19991105 or @rlad<=19991105) and compiler	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/21 15:07
-	1	((compil\$4 or compress\$4) and (((differential or predictive)) near2 (encod\$4))) and (@ad<=19991105 or @rlad<=19991105) and compiler) and 717/\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/21 14:45
-	4	("5544067" "5933356" "6233540" "6324678").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/21 14:55
-	21	(compil\$4 or compress\$4) and (((transmi\$5 or distribut\$5) near3 (compiler or compil\$4) adj2 (data or content or information or code))) same (encod\$4 or pack\$5 or compress\$4 or zip\$5)) and (@ad<=19991105 or @rlad<=19991105))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/21 14:55
-	4	(compil\$4 or compress\$4) and (("5544067" "5933356" "6233540" "6324678").PN.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/21 15:22
-	3	((("4386416" "4558413" "4912637" "5357631" "5495610" "5530645" "5574906" "5715454" "5761499" "5813017" "5832520" "5845077" "5884014" "5903897" "5905896" "5991713" "5999949" "6011905" "6012063" "6018747").PN.) and ((differential or delta)near2 encod\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/21 14:59
-	461	((Huffman and run-length) near2 encod\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/21 15:07

-	47	((Huffman and Lempel) near2 encod\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/21 15:40
-	1	((Huffman and Lempel) near2 encod\$4) and (@ad<=19991105 or @rlad<=19991105) and compiler	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/21 15:17
-	13	("5045852" "5463746" "5680600" "5703907" "5729228" "5764994" "5878267" "5943421" "5945933" "5946489" "6005503" "6121903" "6125201").PN.	USPAT	2004/02/21 15:10
-	32	((Huffman and run-length) near2 encod\$4)) and ((Lempel or Huffman or run-length or delta) near2 encod\$4) and compil\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/21 15:17
-	22	((Huffman and run-length) near2 encod\$4) and ((Lempel or Huffman or run-length or delta) near2 encod\$4) and compil\$4) and (@ad<=19991105 or @rlad<=19991105) and compil\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/21 15:17
-	21	(compil\$4 and compress\$4) and (((Huffman and run-length) near2 encod\$4) and ((Lempel or Huffman or run-length or delta) near2 encod\$4) and compil\$4) and (@ad<=19991105 or @rlad<=19991105) and compil\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/21 15:41
-	13	((compil\$4 and compress\$4) and (((Huffman and run-length) near2 encod\$4) and ((Lempel or Huffman or run-length or delta) near2 encod\$4) and compil\$4) and (@ad<=19991105 or @rlad<=19991105) and compil\$3)) and (symbol and encod\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/21 15:24
-	19	((Huffman and Lempel) near2 encod\$4) and entropy	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/21 16:20
-	2	(compil\$4 and compress\$4) and (((Huffman and Lempel) near2 encod\$4) and entropy)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/21 15:41
-	2	((Huffman and Lempel) near2 encod\$4) and entropy) and compil\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/21 16:20